

SAFETY DATA SHEET

quickseel gel

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

| SECTION 1: Identification of the substance/mixture and of the company/undertaking | | |
|--|---|--|
| 1.1. Product identifier | | |
| Product name | quickseel Gel | |
| Container size | 20g | |
| 1.2. Relevant identified uses | s of the substance or mixture and uses advised against | |
| Identified uses | Adhesive. | |
| 1.3. Details of the supplier of | f the safety data sheet | |
| Supplier | | |
| | EEP Co Ltd | |
| | Unit C2 Knowl Hill Farm | |
| | Kingsclere | |
| | Newbury | |
| | Berkshire | |
| | RG20 4NY | |
| | +44 (0)1635 299886 | |
| | info@eepcompany.com | |
| 1.4. Emergency telephone r | number | |
| Emergency telephone | +44 (0)1635 299886 | |
| | | |
| SECTION 2: Hazards identi | fication | |
| SECTION 2: Hazards identi 2.1. Classification of the sub | | |
| | ostance or mixture | |
| 2.1. Classification of the sub | ostance or mixture | |
| 2.1. Classification of the sub Classification (EC 1272/200 | ostance or mixture 8) | |
| 2.1. Classification of the sub Classification (EC 1272/200 Physical hazards | o <mark>stance or mixture 8)</mark> Not Classified Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 STOT SE 3 - H335 STOT SE 3 - | |
| 2.1. Classification of the sub Classification (EC 1272/200 Physical hazards Health hazards | Distance or mixture 8) Not Classified Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 STOT SE 3 - H335 STOT SE 3 - H335 | |
| 2.1. Classification of the sub Classification (EC 1272/200 Physical hazards Health hazards Environmental hazards | Distance or mixture 8) Not Classified Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 STOT SE 3 - H335 STOT SE 3 - H335 | |
| 2.1. Classification of the sub Classification (EC 1272/200 Physical hazards Health hazards Environmental hazards 2.2. Label elements | Distance or mixture 8) Not Classified Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 STOT SE 3 - H335 STOT SE 3 - H335 | |
| 2.1. Classification of the sub Classification (EC 1272/200 Physical hazards Health hazards Environmental hazards 2.2. Label elements | Distance or mixture 8) Not Classified Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 STOT SE 3 - H335 STOT SE 3 - H335 | |
| 2.1. Classification of the sub Classification (EC 1272/200 Physical hazards Health hazards Environmental hazards 2.2. Label elements Pictogram Victogram Signal word | Abstance or mixture 8) Not Classified Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 STOT SE 3 - H335 H335 Not Classified Warning | |
| 2.1. Classification of the sub Classification (EC 1272/200 Physical hazards Health hazards Environmental hazards 2.2. Label elements Pictogram | bstance or mixture 8) Not Classified Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 STOT SE 3 - H335 Not Classified Not Classified Warning H315 Causes skin irritation. | |
| 2.1. Classification of the sub Classification (EC 1272/200 Physical hazards Health hazards Environmental hazards 2.2. Label elements Pictogram Victogram Signal word | Abstance or mixture 8) Not Classified Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 STOT SE 3 - H335 H335 Not Classified Warning | |

| Precautionary statements | P261 Avoid breathing vapour/ spray. P264 Wash contaminated skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER/ doctor if you feel unwell. P321 Specific treatment (see medical advice on this label). P332+P313 If skin irritation occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/ container in accordance with national regulations. |
|--------------------------|--|
| Contains | ethyl 2-cyanoacrylate |

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| ethyl 2-cyanoacrylate | | 60-100% |
|--|----------------------|---------|
| CAS number: 7085-85-0 | EC number: 230-391-5 | |
| Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335 | | |
| Poly Methyl Methacrylate (PMMA) CAS number: 9011-14-7 | | 10-30% |
| Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 | | |

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

| General information | Get medical advice/attention if you feel unwell. | |
|---------------------|--|--|
| Inhalation | Move affected person to fresh air at once. Get medical attention if any discomfort continues. | |
| Ingestion | Ensure that breathing passages are not obstructed. The product will polymerise immediately in the mouth making it almost impossible to swallow. Saliva will slowly separate the solidified product from the mouth (several hours). | |

| Skin contact | If adhesive bonding occurs, do not force skin apart. It may be gently peeled apart using a blunt object such as a spoon, preferably after soaking in warm soapy water. Cyanoacrylates give off heat on solidification. In rare cases a large a large drop will generate enough heat to cause a burn. Burns should be treated normally after the adhesive has been removed from the skin if lips are accidentally stuck together apply warm water to the lips and encourage maximum wetting and pressure from saliva inside the mouth. Peel or roll lips apart. Do not try to pull apart with direct opposing action. | |
|--|---|--|
| Eye contact | If the eye is bonded closed, release eyelashes with warm water by covering with wet pad. cyanoacrylate will bond to eye protein and will cause periods of weeping which will help to de- bond the adhesive. Keep eye covered until de-bonding is complete, usually within in 1-3 days. Medical advice should be sought in case solid particles of cyanoacrylate trapped behind the eyelid cause any abrasive damage. | |
| 4.2. Most important symptoms | and effects, both acute and delayed | |
| General information | Treat symptomatically. | |
| Inhalation | May cause irritation. | |
| 4.3. Indication of any immedia | te medical attention and special treatment needed | |
| Notes for the doctor | Apply a pad soaked in warm water and allow the eyelids to separate. If adhesive bonding occurs, prise the skin apart slowly, working from the edge of the bonded area. Treat symptomatically. | |
| SECTION 5: Firefighting meas | sures | |
| 5.1. Extinguishing media | | |
| Suitable extinguishing media | Extinguish with foam, carbon dioxide or dry powder. Water spray. | |
| 5.2. Special hazards arising from the substance or mixture | | |
| 5.2. Special hazards arising from | om the substance or mixture | |
| 5.2. Special hazards arising from Specific hazards | om the substance or mixture The product is not flammable. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. | |
| <u>_</u> | The product is not flammable. Trace amounts of toxic fumes may be released on incineration | |
| Specific hazards | The product is not flammable. Trace amounts of toxic fumes may be released on incineration | |
| Specific hazards 5.3. Advice for firefighters Protective actions during | The product is not flammable. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Trace amounts of toxic fumes may be released on incineration and the use of breathing | |
| Specific hazards 5.3. Advice for firefighters Protective actions during firefighting Special protective equipment | The product is not flammable. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. | |
| Specific hazards 5.3. Advice for firefighters Protective actions during firefighting Special protective equipment for firefighters SECTION 6: Accidental releas | The product is not flammable. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. | |
| Specific hazards 5.3. Advice for firefighters Protective actions during firefighting Special protective equipment for firefighters SECTION 6: Accidental releas | The product is not flammable. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. | |
| Specific hazards 5.3. Advice for firefighters Protective actions during firefighting Special protective equipment for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, pro- | The product is not flammable. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. e measures tective equipment and emergency procedures Avoid contact with skin and eyes. Provide adequate ventilation. | |
| Specific hazards 5.3. Advice for firefighters Protective actions during firefighting Special protective equipment for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, pro Personal precautions | The product is not flammable. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. e measures tective equipment and emergency procedures Avoid contact with skin and eyes. Provide adequate ventilation. | |
| Specific hazards 5.3. Advice for firefighters Protective actions during firefighting Special protective equipment for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, pro Personal precautions 6.2. Environmental precaution | The product is not flammable. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. e measures tective equipment and emergency procedures Avoid contact with skin and eyes. Provide adequate ventilation. g Avoid discharge into drains. | |
| Specific hazards 5.3. Advice for firefighters Protective actions during firefighting Special protective equipment for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, pro Personal precautions 6.2. Environmental precautions Environmental precautions | The product is not flammable. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. e measures tective equipment and emergency procedures Avoid contact with skin and eyes. Provide adequate ventilation. g Avoid discharge into drains. | |
| Specific hazards 5.3. Advice for firefighters Protective actions during firefighting Special protective equipment for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, pro Personal precautions 6.2. Environmental precautions 6.3. Methods and material for | The product is not flammable. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. e measures tective equipment and emergency procedures Avoid contact with skin and eyes. Provide adequate ventilation. g Avoid discharge into drains. containment and cleaning up Provide adequate ventilation. Do not use cloths for mopping up. Polymerise with water and scrape off floor. | |
| Specific hazards 5.3. Advice for firefighters Protective actions during firefighting Special protective equipment for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, pro Personal precautions 6.2. Environmental precautions 6.3. Methods and material for Methods for cleaning up | The product is not flammable. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. e measures tective equipment and emergency procedures Avoid contact with skin and eyes. Provide adequate ventilation. g Avoid discharge into drains. containment and cleaning up Provide adequate ventilation. Do not use cloths for mopping up. Polymerise with water and scrape off floor. | |
| Specific hazards 5.3. Advice for firefighters Protective actions during firefighting Special protective equipment for firefighters SECTION 6: Accidental releas 6.1. Personal precautions 6.2. Environmental precautions 6.3. Methods and material for Methods for cleaning up 6.4. Reference to other section | The product is not flammable. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. e measures tective equipment and emergency procedures Avoid contact with skin and eyes. Provide adequate ventilation. g Avoid discharge into drains. containment and cleaning up Provide adequate ventilation. Do not use cloths for mopping up. Polymerise with water and scrape off floor. 18 For waste disposal, see Section 13. For personal protection, see Section 8. | |

7.1. Precautions for safe handling

Usage precautions For personal protection, see Section 8.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Store in tightly-closed, original container in a well-ventilated place. Keep away from heat, sparks and open flame.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

ethyl 2-cyanoacrylate

Short-term exposure limit (15-minute): WEL 0.3 ppm 1.5 mg/m³ WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment



| Respiratory protection | If ventilation is inadequate, suitable respiratory protection must be worn. |
|--------------------------------|--|
| Other skin and body protection | Wear suitable protective clothing made of the following material: Nitrile rubber. |
| Hand protection | Wear protective gloves made of the following material: Nitrile rubber. Do NOT use Polyvinyl chloride (PVC). nylon cotton |
| Eye/face protection | Wear eye protection. |
| | |

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

| Appearance | Gel. |
|---|---------------------------------|
| Colour | Clear. |
| Odour | Characteristic. |
| Odour threshold | 1-2 ppm |
| рН | Not applicable. |
| Melting point | No information available. |
| Initial boiling point and range | 149°C @ |
| Flash point | 80-93.4°C TCC (Tag closed cup). |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not applicable. |
| Upper/lower flammability or explosive limits | No information available. |
| Vapour pressure | >0.2 mm Hg @ °C |

| Vapour density | No information available. | |
|--|---|--|
| Relative density | No information available. | |
| Solubility(ies) | Insoluble in water. Hardens in contact with water. | |
| Partition coefficient | No information available. | |
| Auto-ignition temperature | 485°C | |
| Decomposition Temperature | No information available. | |
| Explosive properties | No information available. | |
| 9.2. Other information | | |
| Other information | None. | |
| SECTION 10: Stability and rea | activity | |
| 10.1. Reactivity | | |
| Reactivity | See the other subsections of this section for further details. | |
| 10.2. Chemical stability | | |
| Stability | Stable at normal ambient temperatures and when used as recommended. | |
| 10.3. Possibility of hazardous | reactions | |
| Possibility of hazardous reactions | Polymerisation will occur in the presence of moisture and other basic materials. Amines. Alkalis. Alcohols. | |
| 10.4. Conditions to avoid | | |
| Conditions to avoid | Not known. | |
| 10.5. Incompatible materials | | |
| Materials to avoid | Alkalis. Amines. Alcohols. Water, moisture. | |
| 10.6. Hazardous decomposition products | | |
| Hazardous decomposition products | No known hazardous decomposition products. | |
| SECTION 11: Toxicological in | formation | |
| 11.1. Information on toxicolog | ical effects | |
| Toxicological effects | Considered low toxicity. | |
| | | |
| Inhalation | Vapours may irritate eyes and respiratory system | |
| Ingestion | Cyanoacrylates are considered to have relatively low toxicity. It is almost impossible to swallow as it rapidly polymerises in the mouth. | |
| Skin contact | Bonds skin and eyes in seconds. May cause skin irritation. | |
| Eye contact | Bonds skin and eyes in seconds. In a dry atmosphere vapours may cause irritation and lachrymatory effect. | |
| SECTION 12: Ecological Infor | mation | |
| Eastaviaity | There are no data on the contaviaity of this product | |

Ecotoxicity

There are no data on the ecotoxicity of this product.

12.1. Toxicity

| Ecotoxicity | |
|------------------------------------|--|
| Toxicity | Low |
| 12.2. Persistence and degrada | ability |
| Persistence and degradability | There are no data on the degradability of this product. |
| 12.3. Bioaccumulative potentia | al |
| Bioaccumulative potential | No data available on bioaccumulation. |
| Partition coefficient | No information available. |
| 12.4. Mobility in soil | |
| Mobility | The product is insoluble in water. |
| 12.5. Results of PBT and vPvE | 3 assessment |
| Results of PBT and vPvB assessment | This product does not contain any substances classified as PBT or vPvB. |
| 12.6. Other adverse effects | |
| Other adverse effects | None known. |
| SECTION 13: Disposal consid | erations |
| 13.1. Waste treatment method | s S |
| General information | Dispose of waste product or used containers in accordance with local regulations |
| Disposal methods | Dispose of waste product or used containers in accordance with local regulations |
| SECTION 14: Transport information | |
| General | Not regulated. |
| 14.1. UN number | |
| 14.2. UN proper shipping nam | e |
| 14.3. Transport hazard class(e | <u>es)</u> |
| 14.4. Packing group | |
| 14.5. Environmental hazards | |
| 14.6. Special precautions for u | |
| SECTION 15: Regulatory infor | ing to Annex II of MARPOL and the IBC Code |
| | onmental regulations/legislation specific for the substance or mixture |
| EU legislation | Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 |
| | December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Dangerous Preparations Directive 1999/45/EC. |
| 15.2. Chemical safety assess | nent |

SECTION 16: Other information

Revision date

| SDS number | 4668 |
|---------------------------|---|
| Hazard statements in full | H315 Causes skin irritation. H319 Causes serious eve irritation. |
| | H335 May cause respiratory irritation. |

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

WARRANTY: All products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Bondloc is consider accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Bondloc makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.